with advanced control panels Covering sophisticated requirements

detectors. received a fire alarm from the connected the extinguishing process after having XC10 control panels immediately trigger sate, and automated interventions. The family of control panels – enables rapid, wen a diw – 012X. Ytiunitros seenisud system thus are essential and can ensure pring, and activation of an extinguishing a fire incident. Fast fire detection, alarmneed to be optimally protected in case of When it comes to fire safety, every People, assets, and business processes 📕 Εuring business continuity

bns -əlpnis rof əsiods leəbl 📒

ideal choice for large applications with With up to 16 flooding zones, XC10 is the ample large data centers or archives, etc. used for multi-sector applications, for exan II room or a turbine. It can also be can protect a room or an object, such as Used for a single-sector application, XC10 single-sector or a multi-sector application. XC10 panel family can protect either a Whether independent or integrated, the multi-sector applications

der battery is needed to protect several -nilyo pnidsingnitxe eno ylno :epetnevbe several extinguishing sectors. Another

.stotos

scientific institutes. This includes testing cooperation with fire departments and products are continuously developed in cation know-how and experience. New from Siemens are based on in-depth appli-The high-quality products and systems pased on expertise oilotto porehensive portfolio 🗧 business continuity – all from one source.



.sbrebnets lenoitennetri iternational standards.

automated intervention and ensure

art products and systems that provide

from Siemens, you receive state-of-the-

and can be tailored to individual needs.

the latest technologies in extinguishing

intelligent extinguishing systems that offer

devices. The Sinorix[™] portfolio comprises

with selectable parameter sets, special

ing powerful panels, clever detectors

PRO is a smart fire safety system includ-

range of peripheral devices. Cerberus®

including deception-free fire detectors,

is our comprehensive fire safety system ^{אד}osətni2 :pnidsiupnitxə bna noitəətəb

Siemens also provides all you need for

control panels that combine fire detection

fire safety system. With XC10, you receive

second counts. That's why it's important

noitoete fire detection of fire detection

smətsys pnidsingnitxə bna

to have a fast, reliable, and comprehensive

and extinguishing control. What's more,

easy-to-operate control panels, and a wide

detectors, and a wide range of peripheral

You see, with the wide fire safety portfolio

a matter of course that all products comply in Siemens' own test laboratories. And it's

www.siemens.com/XC10

international standards

safety system

AC10 control panels comply with

and experience from Siemens

📕 Backed by decades of know-how

alone or integrated into a larger fire

-bnets ,stotose-itlum bne -slpnis

- 9ldizzoq znoitallatzni to 9gnar baord 📒

and costs for extinguishing cylinders

larger applications that saves space

vation of the extinguishing process

-itse adt tot se llaw se pnimtele bne

Advanced control panels for detection

New multi-sector control panel for

smətsys pnidsingnitxə

sthgildbib

of detectors and automated

📕 Functions with different types

The information in this document contains general descriptions of technical options available, which do not always have to be present in individual cases. The required features should therefore be specified in each individual case at the time of closing the contract.

6301 Zug Switzerland Tel +41 41 724 24 24

Siemens Switzerland Ltd Industry Sector Building Technologies Division International Headquarters Gubelstrasse 22

public infrastructure. Over the entire Innovative technologies to answer and environmentally conscious portthe associated toughest questions folio of products, systems, solutions, and services for low-voltage power Throughout a 160-year history of proven research and engineering talent, distribution and electrical installation with more than 50,000 active patents, technology, building automation, Siemens has continuously provided its fire safety and security ensures the: customers with innovations in the areas of healthcare, energy, industry, and efficiency in buildings, infrastructure – globally and locally. - safety and security for people, processes, and assets, increased business productivity.

Increase productivity and efficiency through complete building life cycle management balization – are shaping the world today. Building Technologies offers intelligent integrated solutions for industry, commercial and residential buildings, and facility's life cycle, our comprehensive optimum comfort and highest energy





and extinguishing control Compact panels for fire detection

the extinguishing process. from the connected fire detectors, the combined XC10 panels trigger fire detection and extinguishing control. After receiving a fire alarm panels for comprehensive fire safety: the panel family combines both core aspects of fire safety. With XC10, Siemens offers a family of control Protecting people and assets, business processes and continuity are

or be integrated into a larger fire safety system. requirements. XC10 can be installed as an independent control panel sector (one room) or multi sectors (multiple rooms) with sophisticated XC10 panels are the ideal choice for protecting valuable objects, a single

0 0 TERRORITY CE ----

Answers for infrastructure.



Megatrends driving the future

The megatrends – demographic change,

urbanization, climate change, and glo-

These have an unprecedented impact

on our lives and on vital sectors of our

economy.

XC10 – combined fire detection and extinguishing control

Planning Tool for multi-sector applications



XC10 Planning Tool – multi sectors

Answers for infrastructure.

Compatibility chart for fire detection

Fire detectors	Conventional line SynoLINE300	Collective line SynoLINE600	Detector base						Alarm indicators			
			SO320 BPZ:5085990001	DB1101A BPZ:4863650001	FDB221 A5Q00001664	FDB222 S54319-F1-A1	FDFB291 A5Q00003310	FDLB291 A5Q00003941	Al91C (frame mounting) S54370-F7-A1 Al92C (surface mounting) S54370-F8-A1	FDAI91 (frame mounting) S54370-F9-A1	FDAI92 (surface mounting) S54370-F3-A1	FDAI93 (flush mounting) S54370-F5-A1
Multi-sensor detectors												
OH320C BPZ:5364190001	Yes	Yes	Yes	-	-	-	-	-	Yes	Yes	Yes	-
FDOOT241-9 A5Q00004813	Yes	Yes	-	-	Yes	Yes	-	-	-	Yes	Yes	Yes
Optical detectors												
OP320C BPZ:5081460001	Yes	-	Yes	-	-	-	-	-	Yes	-	-	-
DO1101A BPZ:4930020001	-	Yes	-	Yes	-	-	-	-	-	Yes	Yes	Yes
DO1104A BPZ:5090640001	-	Yes	-	Yes	-	-	-	-	-	Yes	Yes	Yes
Heat detectors												
HI320C (rate of rise and maximum) BPZ:5081590001	Yes	-	Yes	-	-	-	-	-	Yes	-	-	-
HI322C (maximum) BPZ:5316470001	Yes	-	Yes	-	-	-	-	-	Yes	-	-	-
DT1101A (rate of rise) BPZ:4931700001	-	Yes	-	Yes	-	-	-	-	-	Yes	Yes	Yes
DT1102A (rate of rise and maximum) BPZ:4931830001	-	Yes	-	Yes	-	-	-	-	-	Yes	Yes	Yes
Special detectors												
Flame detector FDF221-9/FDF241-9 A5Q00003902 A5Q00003006	Yes	Yes	-	-	-	-	Yes	-	-	Yes	Yes	Yes
Linear smoke detector FDL241-9 A5Q00002298	Yes	Yes	-	-	-	-	-	Yes	-	Yes	Yes	Yes

For further products please see Cerberus PRO and Sinteso planning poste

Fire detectors	Sinteso FDnet	Cerberus PRO C-NET		Alarm indicators							
			DB721 S54319-F11-A1	FDB221 A5Q00001664	FDB222 S54319-F1-A1	FDFB291 A5Q00003310	FDLB291 A5Q00003941	FDCAI221 (addressable) S54370-F10-A1	FDAI91 (frame mounting) S54370-F9-A1	FDAI92 (surface mounting) S54370-F3-A1	FDAI93 (flush mounting) S54370-F5-A1
Multi-sensor detectors											
FDOOT241-9 A5Q00004813	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
FDOOT221 A5Q00016442	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
OH720/S54310-F1-A1	-	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes
Optical detectors											
OP720/S54310-F1-A1	-	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes
FDO221/A5Q00016440	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
FDO241/A5Q00016441	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
Heat detectors											
HI722/S54310-F3-A1	-	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes
HI720/S54310-F4-A1	-	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes
FDT221/A5Q00016444	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
FDT241/A5Q00016445	Yes	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
Special detectors											
Flame detector FDF221-9/FDF241-9 A5Q00003902 A5Q00003006	Yes	Yes	-	-	-	Yes	-	Yes	Yes	Yes	Yes
Linear smoke detector FDL241-9 A5Q00002298	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes	Yes
Aspirating smoke detection LaserFOCUS VLF-250/VLF-500/VLF- 250-SIE/VLF-500-SIE	Yes	Yes	-	-	-	-	-	Yes	Yes	Yes	Yes

For further products please see Cerberus PRO and Sinteso planning poste


Sinorix extinguishing systems from Siemens

Automated extinguishing systems are designed on the basis of the following principle: Every fire needs three elements – oxygen, heat, and a combustible. If only one of these elements is removed, a fire cannot spread and will inevitably go out.

Siemens offers Sinorix – a comprehensive range of automated extinguishing systems based on natural and chemical agents as well as gas/water-combined and water mist systems. They can all be tailored to individual customer requirements.

Systems with natural agents Systems with chemical agents

Systems with inert gases work principally by displacing the Systems with chemical gases absorb heat from a fire,




Sinorix N₂ • Ar • CO₂

Extinguishing systems with natural agents for maximum flexibility in system design and engineering.

Sinorix CDT

Innovation based on extinguishing with natural agents to provide constant gas discharge that allows a reduction of overpressure flaps by up to 70%.

oxygen, inerting the protected area, they thus extinguish the fire. leaving it without energy, they thus extinguish the fire.



Sinorix 1230

System based on the environmentally friendly extinguishing agent 3M[™] Novec[™] 1230 Fire Protection Fluid with 42-bar technology that enables highest extinguishing efficiency and flexibility in engineering.

Sinorix 227

Extinguishing system based on the globally known HFC 227ea with 25- and 42-bar technology for fast and reliable extinguishing.

SIEMENS

SIEMENS

Worth knowing when planning extinguishing systems

When planning an extinguishing system for an object or a room (or several), there are some basic aspects which are worthwhile to consider as they greatly influence the choice of the right system and agent. Some of these aspects are:

Applications/risks of fire

Depending on the type of application, e.g. data center, archives, turbines, etc., different risks of fire occur. Such risks of fire can be open fires, smoldering fires, deep-seated fires, etc. They influence the choice of extinguishing system and agent.

Space requirements

In some cases, space plays a major role (e.g. due to space restrictions) when choosing the appropriate system and agent. Chemical agents usually require less space than natural agents, high-pressure systems may also influence the space requirements.

Overpressure flaps

Overpressure flaps can be quite complex to implement due to structural conditions. Systems that provide constant gas discharge or systems using chemical agents offer significant advantages.

Personnel safety implications

Some systems require special personnel safety measures. They are necessary if the oxygen concentration drops below 10 vol-% in the protected area at complete flooding or due to some extinguishing agents, e.g. CO₂. These measures ensure that the required evacuation time is met.

Approvals & regulations

Some national regulations and approval requirements can influence the choice of system and agent, e.g. the required amount of agent can vary from regulation to regulation. Furthermore, systems with specially approved components usually offer higher reliability.


Code of practice

Differences in calculations can occur due to different code of practices in the countries, e.g. false ceiling – USA: A false ceiling is not incorporated in the protected area

- Europe: A false ceiling has to be incorporated in the protected area

Gas/water-combined system

Gas/water-combined systems basically combine the displacing Water mist systems absorb heat from a fire. Leaving it of oxygen with the positive cooling effect of water.




Sinorix H₂O Gas

Highly efficient combination of nitrogen and water extinguishing technology with an additional positive cooling effect – for secure extinguishing and reliable room protection.

Water mist system

without energy, they thus control or extinguish the fire.




Sinorix H₂O Jet

Unique two-phase flow technology that generates fine water droplets at low hydraulic pressure – for efficient control of open fires as well as for effective object protection thanks to accurate extinguishing.

XC10 Planning Tool – multi sectors

Answers for infrastructure.



Independent scenario

and extinguishing control panel XC10 operating panels combined in a single cabinet. Each XC10 as an independent (stand-alone) control unit. Several XC10 control panels can be combined to monitor and control medium- to large-sized multisector applications. The fire detectors as well as **Advantage of this kind of application:** the peripheral devices are directly connected to – Multi-sector extinguishing panels are capable XC10. You can choose from a wide range of con- of controlling several flooding zones. This makes ventional and collective fire detectors as well as special detectors. XC10 works with most types as less cylinders are needed. of extinguishing systems for room or object protection.

This graphic shows the combined fire detection The graphic above shows two extinguishing control controls one entire flooding zone. The panels are networked so that they can exchange information.

XC1003-A a space-saving and economic solution,

XC10 panels

- XC10 multi-sector extinguishing panel for up to 16 flooding zones to control medium- to large-sized extinguishing installations. Self-contained control panel including fire detection and extinguishing control.
- Two valve control lines, both compatible for activation of solenoids and pyrotechnical actuators. Technical details:
- 3 detector lines for automatic activation - 1 line for manual activation
- 4 monitored inputs 4 control inputs
- 2 monitored valve controls 24 V/2 A
- 3 monitored outputs 24 V/500 mA
- 13 outputs
- Extinguishing panel rack XC1003-A Order no. S54390-C2-A1 – Power supply: 3.5 A/105 W
- Max. battery back-up time: 72 h – Max. battery capacity: 2x 17 Ah
- Housing: 482.6 (19")x177.8 (4 U)x187 mm (WxHxD) Multi-sector extension module XCA1030
- Order no. S54390-A5-A1 This module is the multi-sector extension for the XC10 panels. It has to be mounted in each panel. Please order for each multi-sector panel separately.
- Technical details: 1 monitored input for selector valve position - 1 monitored input programmable
- 2 control lines outputs for actuators

Common multi-zone module XCA1031 Order no. S54390-A6-A1

- This module receives extinguishing activation from XC10 panels and controls the control cylinder of the cylinder battery. In addition, it monitors the loss of agent.
- Technical details: - 1 monitored input for loss of agent supervision - 1 redundant control line output to trigger the
- control cylinder (fuse protection)

Fire safety system integration scenario

a fire detection system as shown in the graphic. In this application, the status of the extinguishing control panel is forwarded to the fire detection control unit. In addition, the fire detectors can be of extinguishing systems for room or object part of the fire detection panel and extinguishing protection. The panels are networked so that they information can be sent to the extinguishing control panel. You can choose from a wide range of addressable fire detectors as well as special detectors. Other commands from the fire detection control unit are transmitted to the extinguishing control panel. Up to 16 flooding zones are monitored.



XC10 control panels can be easily integrated into The graphic above shows two extinguishing control panels combined in a fire detection cabinet. Each extinguishing control panel controls one entire flooding zone. XC10 works with most types can exchange information.

Advantages of this kind of application: – You can integrate XC10 in an existing fire safety

- system – XC10 control panels can be mounted in one
- cabinet – Flexible integration ensures minimal cabling for
- a wide application range - Connection of Cerberus PRO/Sinteso control
- panel to a danger management system possible. It provides remote status indication and allows to receive remote control operation
- Increased reliability due to advanced safety features, addressable fire control panels and fire detectors